

Work Order ID 161522

Wednesday, May 17, 2017 11:04:15 AM

For Blue

161522

Page 1

Item ID: D2891-1 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Support 2.25
Start Date: 5/17/2017 Start Qty: 12.00 *12* Cust Item ID:
Required Date: 6/1/2017 Req'd Qty: 12.00 *12* Customer:
Reference:

Approvals: Process Plan: DAS 21 9-89 Date: MAY 17 2017 Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2891	B

100

2.12

100

HAAS CNC VERTICAL MACHINING #1

HAAS 1

Memo

3.89

HAAS CNC vertical machine #1

1-Machine as per Folio FA046
2-Deburr

12

Ø

DAS
20
9-89

17-05-26

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.12

Quality Control

12

Ø

DAS
20
9-89

17-05-21

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.24

Quality Control

12

Ø

DAS
14
9-89

17/05/29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By 		
							Lead hand / Supervisor Approval Verification 		
QC / QA Coordinator Approval 									

Root Cause				FAULT CATEGORY			
☐ Environment	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
☐ Design	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
☐ Doc/Data	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
☐ Equip/Tooling	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
☐ Handling/Pre	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
☐ Material	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
☐ Internal Transport	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
☐ Tribal Knowledge	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
☐ LOA	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
☐ Substation	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
☐ Past Expiry Date	☐ Manufacturing Process	OTHER : _____					
☐ Misidentified	☐ Past Due						

Wednesday, May 17, 2017 11:04:15 AM

Page 2

MAY 31 2017

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
2AG TA 08-0									
							Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : _____							

Work Order ID 161522

Wednesday, May 17, 2017 11:04:15 AM

161522

Page 3

Item ID: D2891-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Support 2.25
Start Date: 5/17/2017 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 6/1/2017 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	1.20							
Quality Control									

DAS
21
9-89

MAY 31 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By 		
							Lead hand / Supervisor Approval Verification 		
QC / QA Coordinator Approval 									

Root Cause				FAULT CATEGORY			
☐ Environment	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
☐ Design	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
☐ Doc/Data	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
☐ Equip/Tooling	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
☐ Handling/Pre	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
☐ Material	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
☐ Internal Transport	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
☐ Tribal Knowledge	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
☐ LOA	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
☐ Substation	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
☐ Past Expiry Date	☐ Manufacturing Process	OTHER : _____					
☐ Misidentified	☐ Past Due						

Picklist Print

Wednesday, May 17, 2017 11:04:18 AM

Page 1

Work Order ID: 161522

161522

Parent Item: D2891-1

D2891-1

Parent Item Name: Support 2.25

Start Date: 5/17/2017

Required Date: 6/1/2017

Start Qty: 12.00

Required Qty: 12.00

Comments:

IPP C02.11.26Added P/OKJ

IPP D 08.03.19 Re-format EC verified: DD

IPP Rev:E

11.08.04 as per dwg rev.B DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

DSK076

Manufactured

No

110

Each

5.0000

0.5

6

DAS

DSK076

**

6

20
9-89

17-05-25

D2891-1 Turning Detail

Location

Loc Qty

Loc Code

MAT060

5

156451

5

5

160623

1

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____				
Misidentified ☐	Past Due ☐					

DART AEROSPACE LTD		Work Order:	16522
Description: Ø2.250 Support		Part Number:	D2891-1
Inspection Dwg: D2891	Rev: B	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	0.188	0.193		.190	.190	.190	.190	.190
AB	0.240	0.260		.250	.250	.250	.250	.250
AC	0.115	0.150		.125	.125	.125	.125	.125
AD	0.040	0.060		.052	.050	.052	.052	.054
AE	0.010	0.020		.010	.010	.010	.010	.010
AF	0.240	0.260		.250	.250	.250	.250	.250
AG	0.290	0.310		.300	.300	.300	.300	.300
AH	0.115	0.150		.140	.140	.139	.140	.140
AI	0.454	0.474		.461	.461	.460	.460	.460
AJ	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AK	0.240	0.260		.250	.250	.250	.250	.250
AL	1.002	1.042		1.038	1.040	1.040	1.042	1.040
AM	0.053	0.073		.063	.063	.063	.063	.063
AN	0.257	0.262		.260	.260	.260	.260	.260
AO	1.663	1.683		1.676	1.676	1.675	1.676	1.677
AP	0.053	0.073		.063	.063	.063	.063	.063
AQ	0.022	0.042		.032	.032	.032	.032	.032
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20 9-89	Date:	17-05-26
Audited by:	DAS 14 9-89	Date:	17/05/29
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.09.26	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	161522
Description: Ø2.250 Support		Part Number:	D2891-1
Inspection Dwg: D2891	Rev: B	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	6	7	8	9	10
HAAS Section								
AA	0.188	0.193		.190	.190	.190	.190	.190
AB	0.240	0.260		.250	.250	.250	.250	.250
AC	0.115	0.150		.125	.125	.125	.125	.125
AD	0.040	0.060		.053	.050	.050	.051	.051
AE	0.010	0.020		.010	.010	.010	.010	.010
AF	0.240	0.260		.250	.250	.250	.250	.250
AG	0.290	0.310		.300	.300	.300	.300	.300
AH	0.115	0.150		.139	.139	.139	.140	.138
AI	0.454	0.474		.459	.461	.462	.462	.462
AJ	2.779	2.789		2.784	2.784	2.784	2.784	2.784
AK	0.240	0.260		.250	.250	.250	.250	.250
AL	1.002	1.042		1.042	1.041	1.042	1.042	1.042
AM	0.053	0.073		.063	.063	.063	.063	.063
AN	0.257	0.262		.260	.260	.260	.260	.260
AO	1.663	1.683		1.676	1.676	1.676	1.678	1.677
AP	0.053	0.073		.063	.063	.063	.063	.063
AQ	0.022	0.042		.032	.032	.032	.032	.032
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20 9-89	Date:	17-05-26
Audited by:	DAS 14 9-89	Date:	17/05/29
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.09.26	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	161522
Description: Ø2.250 Support		Part Number:	D2891-1
Inspection Dwg: D2891	Rev: B	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	11	12			
HAAS Section								
AA	0.188	0.193		.190	.190			
AB	0.240	0.260		.250	.250			
AC	0.115	0.150		.125	.125			
AD	0.040	0.060		.049	.049			
AE	0.010	0.020		.010	.010			
AF	0.240	0.260		.250	.250			
AG	0.290	0.310		.300	.300			
AH	0.115	0.150		.140	.140			
AI	0.454	0.474		.460	.460			
AJ	2.779	2.789		2.784	2.784			
AK	0.240	0.260		.250	.250			
AL	1.002	1.042		1.042	1.042			
AM	0.053	0.073		.063	.063			
AN	0.257	0.262		.260	.260			
AO	1.663	1.683		1.673	1.674			
AP	0.053	0.073		.063	.063			
AQ	0.022	0.042		.032	.032			
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20 9-89	Date:	17-05-26
Audited by:	DAS 14 9-89	Date:	17/05/29
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.12	New Issue	KJ/RF	
B	08.04.21	Reformat	KJ/JLM	
C	12.09.26	Dwg Rev updated	KJ	

NOTES:

1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
MIN UTS = 170 KSI (38 HRC)
(REF DART SPEC. D6104)

2) FINISH: NONE

3) TOLERANCES: PER DART QSI 018 (REF X.XXX = ± 0.010) UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX


6) IDENTIFICATION: DART LOGO (PER DART SUPPLIED GRAPHIC) AND PART NUMBER IN THIS AREA WITH 0.125 HIGH LETTERING
0.010-0.020 DEEP, PER DART QSI 044 6.3.

7) WEIGHT: 0.38 lb

8) FOR THE ENTIRE INNER CONCAVE SURFACE:

ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03" TO 0.05" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 161522
MJS
170517



RELEASED
2011-07-28

B	RMV FINISH, ADD 3M 2216, ADD H925 MAT'L OPTION, UPDATE TOLERANCE (ZIN D4-1.84-1.86-1)	CP	11.07.15
A	NEW ISSUE	CP	00.11.17
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D2891	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		Ø2.250 SUPPORT	NTS
DATE	11.07.15	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	